


# Fryer's Kits

## Home Trebuchet Base Uprights Swinging Arm Sling Setup

### Making the Hook and Sling

#### Part 27

**Straighten a paper clip and bend double. Cut strip of paper 15 mm (5/8 inch) less in width than the paper clip.**



**Roll paper around paper clip to a width shown that gives it a push fit into end of swinging arm. Allow 10 mm at looped end and 5 mm at other end, bend and pinch the 2 ends onto paper.**




**Final position.**



#### Part 28


**Knot the strings like this. Distance shown on paper.**



and this, with paper clip shown by arrow. The knot shown by arrow should be further from the end of the loop by the length of the paper on the paperclip.



Cut out paper ring and draw edges on piece of thin cloth. Sew string onto cloth, starting with the knots and then half way along loop. The loop of the string should be a little smaller than the inner circle on the cloth



which, when hem is sewn down will form a pouch.



When paperclip part 27 is pressed in after knot on slingshot part 28



The loop is placed over paperclip, the pouch should be level and hang evenly, adjust if necessary.



**Cut pencil to length shown**



**Fit pencils and assemble. Both cradle and swinging arm should swing freely.**



**[Home](#) [Trebuchet](#) [Base](#) [Uprights](#) [Swinging](#) [Arm](#) [Sling](#) [Setup](#)**